

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Dekaseal MS-7

Product Use: Sealant

Restriction of Use: Refer to Section 15

New Zealand Supplier: Auto Body Equipment

Address: 17 The Boulevard

Te Rapa, Hamilton, 3200

New Zealand

Telephone: +64 7 849 3514 Email: office@abe.co.nz

Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 22 June 2018

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: Surface Coatings and Colourants (subsidiary) - HSR002670

Signal Word: Warning

HSNO Classes	Hazard Code	Hazard Statement	GHS Category
9.1C	H412	Harmful to aquatic life with long lasting effects.	Aquatic Chronic 3

Prevention Code	Prevention Statement
P103	Read label before use.
P273	Avoid release to the environment.

Response Code	Response Statement
None allocated	

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Trimethoxyvinylsilan	3-<5	2768-02-7

Product Name: Dekaseal MS-7

Date of SDS: 22 June 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

71 7 17 0 0 2 10 WWW.toonoomp.oo.m2

Bis(1,2,2,6,6-pentamethyl-4-	<1	41556-26-7
piperidyl)sebacate		
N-[3-(trimethoxysilyl)propyl)ethylenediamine	<1	1760-24-3
N-(3-	<1	3069-29-2
(dimethoxymethylsilyl)propyl)ethylenediamine		
Dioctyltinbis(acetylacetonate)	<1	54068-28-9
Non hazardous	To bal	

Section 4.	First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists:

Get medical advice.

If on Skin Wash skin with water/shower. If skin irritation occurs: get medical

advice/attention.

If Swallowed Rinse mouth. Never give anything to the mouth of an unconscious person.

If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call

a POISON CENTER if unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:Not applicable.Inhalation:Not applicable.Skin:Not applicable.Eye:Not applicable.Chronic:Not applicable.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable.
Hazards from	None knows.
products	
Suitable	Use fire extinguishing methods suitable to surrounding conditions.
Extinguishing	
media	
Precautions for	No special measures required.
firefighters and	
special protective	
clothing	
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Wear protective gear as detailed in Section 8. Evacuate all unnecessary personnel.

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents

Product Name: Dekaseal MS-7 Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 June 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Dispose of waste according to the applicable local and national regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Avoid release to the environment.

Precautions for Storage:

• Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ensure there is adequate ventilation available.

Personal Protection Equipment





Eyes	Not required.
Skin	Wear rubber gloves or Nitrile gloves.
Respiratory	Not required.

Section 9 Physical and Chemical Properties

Form	Pasty
Colour	According to product specification
Odour	Characteristic
Odour Threshold	Not available
pH @20°C	No applicable
Boiling Point	270°C
Melting Point	Not available
Freezing Point	Not available
Flash Point	>100°C (DIN 53213)
Flammability	Product is not explosive.
Upper and Lower	Not determined
Explosive Limits	
Vapour Pressure @20°C	Not applicable
Density@ 20°C	1.06 g/cm ³ (DIN 51757)
Specific Gravity	Not available
Water Solubility	Insoluble
Partition Coefficient:	Not available
Ignition Temperature	235°C
Decomposition	Not determined

Product Name: Dekaseal MS-7

Date of SDS: 22 June 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Temperature	
Dynatic Viscosity @20°C	Not applicable
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.	
Possibility of hazardous	Reacts with oxidizing agents.	
reactions		
Conditions to Avoid	None known.	
Incompatible Materials	None known.	
Hazardous Decomposition	Carbon monoxide.	
Products		

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Acute Toxicity -

Chemical Name	LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
Product			30mg/l

Section 12. Ecotoxicological Information

HSNO Classes: 9.1C = Harmful to aquatic life with long lasting effects.

Persistence and degradability	No data available	
Bioaccumulation	No data available	
Mobility in Soil	No data available	
Other adverse effects	Slightly hazardous for water. Do not allow undiluted product	
	to reach ground water, water course or sewage system.	

Section 13. Disposal Considerations

Disposal Method:

Triple rinse and dispose of according to Local Regulations.

Precautions or methods to avoid: Do not allow to enter waterways.

Product Name: Dekaseal MS-7

Date of SDS: 22 June 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

New Zealand:

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Surface Coatings and Colourants (subsidiary) - HSR002670

HSNO Classification: 9.1C

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1,000L (9.1C)
Emergency Response Plan	1,000L (9.1C)
Secondary Containment	1,000L (9.1C)
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

 EC_{50} Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433: 2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

Product Name: Dekaseal MS-7 Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 June 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Auto Body Equipment, if further information is required.

Issue Date:

22 June 2018

Review Date:

23 June 2023

Product Name: Dekaseal MS-7
Date of SDS: 22 June 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz